

Innovative Gateway Tag

This tag supports response mode set to "simple" and response format set to "delimited".

SIMPLE

- 1) Save the file innovative.cfm in the CFusion\CustomTags folder.
- 2) Open the file which will make the call to the payment processor and insert a call to the custom tag as follows: <CF_Innovative
(This tells the file to call innovative.cfm, located in the same folder.)
- 3) Now you need to pass in the values so the payment can be processed. This is done by adding parameters to the custom tag.

```
<CF_Innovative Version="WebCharge_v5.06"  
  ResponseMode="simple"  
  ResponseFormat="delimited"  
  ... fill in the rest of the values from the list below  
>
```

Variable Name	Description	Status	Value
Version	version name and number	Required	WebCharge_v5.06
ResponseMode	response mode	Required	simple
ResponseFormat	format in which the response will be returned	Required	delimited (url_encoded and html not supported)
UpgAuth		Required	zxcvkljh
CardType	type of credit card	Required	visa, mc, amex, diners, discover OR jcb
FieldDelimiter	separates the name and value of each variable in the delimited response	Required	=
ValueDelimiter	separates the values returned by the payment processor	Required	(pipe character)

```
<cfparam name="Attributes.ResponseRedirectURL" default=""><!-- only used if response mode is "redirect" --->
```

UserName	username for the merchant's account with Innovative Gateway	Required	
Password	password for the merchant's account with Innovative Gateway	Required	

TransactionType	type of transaction to be processed	Required	preauth, postauth, sale, credit OR void
CC_Number	credit card number	Required	
CC_ExpMonth	2 digit month value for expiry date	Required	
CC_ExpYear	2 digit year value for expiry date	Required	
CC_Amount	amount of transaction	Required	
**the next 2 variables are required if Attributes.TransactionType is postauth, credit OR void			
Reference	value is same as APPROVAL value returned in Response	Optional	
TransactionID	value is the same as the ANATRANSID value returned in Response	Optional	
**required if Attributes.TransactionType is postauth			
AuthAmount	value is original amount authorized by the pre-auth transaction	Optional	
OrderNumber	order id	Optional (if blank Innovative Gateway will assign a value)	
CC_Name	first and last name on credit card	Required	
CC_Address1	first line of billing address on credit card	Required	
CC_City	city for billing address on credit card	Required	
CC_State	state for billing address on credit card	Required	
CC_Zip	zip code for billing address on credit card	Required	
CC_Country	2-letter country code for billing address on credit card	Required	
CC_Phone	phone number for billing address on credit card	Required	

CC_Email	customer's email address	Required	
NotifyEmail	signifies whether a notification email should be sent	Optional	no
AuthMode	signifies whether using in test mode or live mode (test always returns as a successfully processed transaction)	Optional	test (if in test, else don't pass)
ReceiptEmail	signifies whether a receipt email should be sent	Optional	no
VoiceAuth	signifies whether voice authorization was received (only refers to postauth)	Optional	no